

July 17, 2019

Mike Nickerson, CHMM
Environmental/Safety Coordinator
Central Bucks School District
320 West Swamp Road
Doylestown, PA 18901

**Re: Lead in Drinking Water Sample Collection and Reporting
Butler Elementary School
200 Brittany Drive
Chalfont, PA 18914
Bucks County, Pennsylvania**


Dear Mr. Nickerson:

This document has been prepared by Langan to provide the results of the drinking water sampling activities at the above referenced school. Langan sampled the drinking water sources (e.g. fountains, sink faucets, etc.) as identified by the Central Bucks School District facility inventory. The collected samples were sent to the Pennsylvania certified environmental laboratory, PACE Analytical, and analyzed for total lead by USEPA Method 200.8, to meet Pennsylvania's action level requirements.

The results did not detect any exceedances at this school of the Pennsylvania Action Level of 15 micrograms per liter (ug/L).

A field sketch of the sampling locations and copy of the laboratory report is attached.

Sincerely,
Langan Engineering & Environmental Services, Inc.



John V. Musco
Associate

Enclosure

cc: R. Copenhaver, PG – Langan
B. Lambing. - Langan
Tyler Arinder – Langan

NJ Certificate of Authorization No. 24GA27996400

\\langan.com\data\DY\data4\200130401\Project Data\Record Data\Reports\Day 3_6-7-19_Unami_Butler\Butler_Lead_Sampling_Memo.docx

June 21, 2019

Randy Copenhaver
Langan Engineering
2700 Kelly Road, Suite 200
Warrington, PA 18976


RE: Project: CENTRAL BUCKS SCHOOL (BUTLER)
Pace Project No.: 7093889

Dear Randy Copenhaver:

Enclosed are the analytical results for sample(s) received by the laboratory on June 12, 2019. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



John D. Stanton
john.stanton@pacelabs.com
(631)694-3040
Project Manager

Enclosures

cc: Bill Lambing, Langan Engineering



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: CENTRAL BUCKS SCHOOL (BUTLER)

Pace Project No.: 7093889

Long Island Certification IDs

575 Broad Hollow Rd, Melville, NY 11747

New York Certification #: 10478 Primary Accrediting Body

New Jersey Certification #: NY158

Pennsylvania Certification #: 68-00350

Connecticut Certification #: PH-0435

Maryland Certification #: 208

Rhode Island Certification #: LAO00340

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: CENTRAL BUCKS SCHOOL (BUTLER)
Pace Project No.: 7093889

Sample: A116	Lab ID: 7093889001	Collected: 06/07/19 05:11	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 20:03	7439-92-1	
Sample: A114F	Lab ID: 7093889002	Collected: 06/07/19 05:12	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 20:06	7439-92-1	
Sample: A114	Lab ID: 7093889003	Collected: 06/07/19 05:13	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 20:09	7439-92-1	
Sample: A114A	Lab ID: 7093889004	Collected: 06/07/19 05:14	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 20:12	7439-92-1	
Sample: B101	Lab ID: 7093889005	Collected: 06/07/19 05:18	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 20:15	7439-92-1	
Sample: B102	Lab ID: 7093889006	Collected: 06/07/19 05:17	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 20:24	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: CENTRAL BUCKS SCHOOL (BUTLER)

Pace Project No.: 7093889

Sample: B103		Lab ID: 7093889007	Collected: 06/07/19 05:19	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 20:27	7439-92-1	
Sample: B105		Lab ID: 7093889008	Collected: 06/07/19 05:20	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 20:36	7439-92-1	
Sample: B106		Lab ID: 7093889009	Collected: 06/07/19 05:21	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 20:45	7439-92-1	
Sample: B107		Lab ID: 7093889010	Collected: 06/07/19 05:22	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 20:48	7439-92-1	
Sample: B108		Lab ID: 7093889011	Collected: 06/07/19 05:22	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 20:52	7439-92-1	
Sample: A128		Lab ID: 7093889012	Collected: 06/07/19 05:10	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 21:01	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: CENTRAL BUCKS SCHOOL (BUTLER)
Pace Project No.: 7093889

Sample: A131		Lab ID: 7093889013	Collected: 06/07/19 05:08	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 21:04	7439-92-1	
Sample: A132		Lab ID: 7093889014	Collected: 06/07/19 05:03	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 21:07	7439-92-1	
Sample: A133		Lab ID: 7093889015	Collected: 06/07/19 05:02	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 21:10	7439-92-1	
Sample: A134		Lab ID: 7093889016	Collected: 06/07/19 05:00	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 21:13	7439-92-1	
Sample: A136		Lab ID: 7093889017	Collected: 06/07/19 04:59	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 21:16	7439-92-1	
Sample: A140		Lab ID: 7093889018	Collected: 06/07/19 04:55	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 21:19	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: CENTRAL BUCKS SCHOOL (BUTLER)
Pace Project No.: 7093889

Sample: A141	Lab ID: 7093889019	Collected: 06/07/19 04:56	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 21:28	7439-92-1	
Sample: A142	Lab ID: 7093889020	Collected: 06/07/19 04:57	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 21:37	7439-92-1	
Sample: A143	Lab ID: 7093889021	Collected: 06/07/19 04:58	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 21:40	7439-92-1	
Sample: BGA	Lab ID: 7093889022	Collected: 06/07/19 04:54	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 21:43	7439-92-1	
Sample: BGB	Lab ID: 7093889023	Collected: 06/07/19 04:54	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 21:46	7439-92-1	
Sample: A151	Lab ID: 7093889024	Collected: 06/07/19 04:51	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	1.0	ug/L	1.0	1		06/20/19 21:49	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: CENTRAL BUCKS SCHOOL (BUTLER)

Pace Project No.: 7093889

Sample: C102	Lab ID: 7093889025	Collected: 06/07/19 05:47	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 21:52	7439-92-1	
Sample: C103	Lab ID: 7093889026	Collected: 06/07/19 05:46	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 21:55	7439-92-1	
Sample: C104	Lab ID: 7093889027	Collected: 06/07/19 05:45	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 21:58	7439-92-1	
Sample: C105	Lab ID: 7093889028	Collected: 06/07/19 05:44	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 22:13	7439-92-1	
Sample: C106	Lab ID: 7093889029	Collected: 06/07/19 05:43	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 22:22	7439-92-1	
Sample: C107	Lab ID: 7093889030	Collected: 06/07/19 05:43	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 22:25	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: CENTRAL BUCKS SCHOOL (BUTLER)
Pace Project No.: 7093889

Sample: C106F		Lab ID: 7093889031	Collected: 06/07/19 05:42	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 22:28	7439-92-1	
Sample: C108		Lab ID: 7093889032	Collected: 06/07/19 05:41	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 22:31	7439-92-1	
Sample: C109		Lab ID: 7093889033	Collected: 06/07/19 05:40	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 22:34	7439-92-1	
Sample: C110		Lab ID: 7093889034	Collected: 06/07/19 05:39	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 22:37	7439-92-1	
Sample: C111		Lab ID: 7093889035	Collected: 06/07/19 05:38	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	1.7	ug/L	1.0	1		06/20/19 22:40	7439-92-1	
Sample: C112		Lab ID: 7093889036	Collected: 06/07/19 05:37	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 22:49	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: CENTRAL BUCKS SCHOOL (BUTLER)

Pace Project No.: 7093889

Sample: C113		Lab ID: 7093889037	Collected: 06/07/19 05:36	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 22:52	7439-92-1	
Sample: C114		Lab ID: 7093889038	Collected: 06/07/19 05:34	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 22:55	7439-92-1	
Sample: C115		Lab ID: 7093889039	Collected: 06/07/19 05:35	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 23:05	7439-92-1	
Sample: C117		Lab ID: 7093889040	Collected: 06/07/19 05:33	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 23:08	7439-92-1	
Sample: C123A		Lab ID: 7093889041	Collected: 06/07/19 05:32	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 23:11	7439-92-1	
Sample: C123B		Lab ID: 7093889042	Collected: 06/07/19 05:32	Received: 06/12/19 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8						
Lead	<1.0	ug/L	1.0	1		06/20/19 23:14	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: CENTRAL BUCKS SCHOOL (BUTLER)

Pace Project No.: 7093889

Sample: C123	Lab ID: 7093889043	Collected: 06/07/19 05:30	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 23:17	7439-92-1	
Sample: C124	Lab ID: 7093889044	Collected: 06/07/19 05:30	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 23:26	7439-92-1	
Sample: C125	Lab ID: 7093889045	Collected: 06/07/19 05:28	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 23:29	7439-92-1	
Sample: C126	Lab ID: 7093889046	Collected: 06/07/19 05:29	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 23:32	7439-92-1	
Sample: A132A	Lab ID: 7093889047	Collected: 06/07/19 05:06	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 23:35	7439-92-1	
Sample: A132B	Lab ID: 7093889048	Collected: 06/07/19 05:06	Received: 06/12/19 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8							
Lead	<1.0	ug/L	1.0	1		06/20/19 23:44	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.