

## Profile and Plan Essentials

<b>LEA Name</b>		<b>AUN</b>
Central Bucks SD		122092102
<b>Address 1</b>		
20 Welden Dr		
<b>Address 2</b>		
<b>City</b>	<b>State</b>	<b>Zip</b>
Doylestown	PA	18901
<b>Director of Special Education Name</b>		
Alyssa Wright		
<b>Director of Special Education Email</b>		
alwright@cbsd.org		
<b>Director of Special Education Phone Number</b>		<b>Director of Special Education Ext</b>
2678932060		
<b>Chief Administrator Name</b>		
Dr Steven M Yanni		
<b>Chief Administrator Email</b>		
syanni@cbsd.org		

## Special Education Students

**Total Number of Students Receiving Special Education** 2550

**School District Total Student Enrollment** 17554

**Percent of Students Receiving Special Education** 14.5



## Steering Committee

<b>Name</b>	<b>Position/Role</b>	<b>Building</b>	<b>Email</b>
Steven Yanni	Superintendent	Central Bucks SD	syanni@cbsd.org
Alyssa Wright	Director of Special Education	Central Bucks SD	alwright@cbsd.org
Heather Hopkins	Other	Central Bucks SD	hhopkins@cbsd.org
Janet Kueny	Other	Central Bucks SD	jkueny@cbsd.org
Daniel Bartleson	Other	Central Bucks SD	dbartleson@cbsd.org
Maria Lichorobiec	Other	Central Bucks SD	mlichorobeic@cbsd.org
Kathleen Veisz	Other	Central Bucks SD	kveisz@cbsd.org
Alicen Cervellero	Other	Central Bucks SD	acervell@cbsd.org
Shara Smith	Other	Central Bucks SD	shsmith@cbsd.org
Chad Watters	Building Principal	Central Bucks HS-East	cwatters@cbsd.org
Shane Murphy	Special Education Teacher	Tohickon MS	sjmurphy@cbsd.org
Maura Guinan	Special Education Teacher	Titus El Sch	mguinan@cbsd.org
Mary Pellegrino	Special Education Teacher	Central Bucks HS-West	mpellegrino@cbsd.org
Jennifer Cronin	Other	Central Bucks SD	jcronin@cbsd.org
Marianne Spiotta	Special Education Teacher	Tohickon MS	mspiotta@cbsd.org
Susanne Pater	Other	Central Bucks SD	spater@cbsd.org
Charles Lock	Other	Central Bucks SD	clock@cbsd.org
David Hoffman	Building Principal	Lenape MS	dhoffman@cbsd.org
Karl Funseth	Building Principal	Butler El Sch	kfunseth@cbsd.org
Brittany Ruggeri	Special Education Teacher	Jamison El Sch	bruggeri@cbsd.org
Lisa Towle	Special Education Teacher	Barclay El Sch	ltowle@cbsd.org
Helen Zaleski	Building Principal	Titus El Sch	hzaleski@cbsd.org
Hillary Norris	Special Education Teacher	Unami MS	hnorris@cbsd.org
Nicole Hersh	Special Education Teacher	Kutz El Sch	nhersh@cbsd.org
Lauren Altmire	Special Education Teacher	Unami MS	laltmire@cbsd.org
Casey O'Connor	Special Education Teacher	Gayman El Sch	coconnor@cbsd.org
Beth Sands	Special Education Teacher	Central Bucks HS-South	esands@cbsd.org
Elizabeth Tolis	Parent	Central Bucks HS-East	elizabeth.tolis57@gmail.com
Jenine Zdanowicz	Board Member	Central Bucks SD	jzdanowicz@cbsd.org
Heather Reynolds	Board Member	Central Bucks SD	hreynolds@cbsd.org
Roseann Burns	Other	Mill Creek El Sch	rburns@cbsd.org

Heather Victor	Parent	Central Bucks HS-West	HVictor3@ITS.JNJ.com
Dana Walter	Other	Holicong MS	dwalter@cbsd.org
Denise Hulmes	Parent	Warwick El Sch	hulmesdenise@gmail.com

## School District Areas of Improvement and Planning - Indicators

### Suspension/Expulsion by Race/Ethnicity (Indicator 4B)

**Indicator not flagged at this time.**

### Disproportionate Representation by Race/Ethnicity (Indicator 9)

**Indicator not flagged at this time.**

### Disproportionate Representation by Race/Ethnicity/Disability (Indicator 10)

**Indicator not flagged at this time.**

### Timely Initial Evaluations (Indicator 11)

**Indicator not flagged at this time.**

Secondary Transition (Indicator 13)

**Indicator not flagged at this time.**

Graduation (Indicator 1)

**Indicator not flagged at this time.**

Drop Out (Indicator 2)

**Indicator not flagged at this time.**

Assessment (Indicator 3)

**Indicator not flagged at this time.**

Education Environments (Indicator 5)

**Indicator not flagged at this time.**

Parent Involvement (Indicator 8)

**Indicator not flagged at this time.**

Early Childhood Transition (Indicator 12)

**Indicator not flagged at this time.**

Post-School Outcomes (Indicator 14)

**Indicator not flagged at this time.**

Resolution Sessions (Indicator 15)

**Indicator not flagged at this time.**

Mediation (Indicator 16)

**Indicator not flagged at this time.**



School District Areas of Improvement and Planning - Monitoring

District has completed all monitoring corrective action/improvement plans.

Identification Method

Identify the District's method for identifying students with specific learning disabilities

Discrepancy Model

Building Name	AUN	Branch Number	RTI	Approved RTI Use
---------------	-----	---------------	-----	------------------

## Non-Resident Students Oversight

### 1. Is your district currently a host district for a 1306 facility?

Yes

24 P.S. §1306 facilities				
Facility Name	Facility Type	Facility Type: Other	Services Provided By	Total Students in Facility
Bucks County Correctional Facility	Other	Correctional	Other	12
Bucks County Youth Center - Residential Services Unit (RSU)	Resident Treatment Facility		Other	20
Mathom House/Edison prep	Resident Treatment Facility		Other	39
Foundations Behavioral Helath	Resident Treatment Facility		Other	60
Bucks County Youth Center - Detention	Detention Home		Other	36
Warwick Family Services	Resident Treatment Facility		Other	32

#### 1. Describe the host’s educational oversight to ensure students with disabilities are educated in the least restrictive environment while in the 1306 facility? (If not a host, answer as if you were.)

Section 1306 of the Pennsylvania Public School Code mandates that the school district where a residential facility is located must provide special education and related services to each non-resident student. Within the boundaries of the Central Bucks School District, there are various residential facilities. To address the educational needs of these students, the district has established an agreement with the Bucks County Intermediate Unit #22 (BCIU). The BCIU acts as the Local Education Agency (LEA) for each facility, managing child accounting and school records, and delivering education to these students.

#### 2. Describe the district’s procedures for communicating with 1306 facilities and how the district ensures a successful transition back to school?

When 1306 students from our district are residing in another school district, we collaborate with the host LEA to ensure their placement in the least restrictive environment. In these ongoing discussions, we gather information on when the student plans to return to the Central Bucks

School District. Upon receiving this information, we reconvene the IEP team to update the IEP and make any necessary adjustments to support the student's transition back.

## Incarcerated Students Oversight

1. Does the district have an adult correctional facility that houses juveniles within its geographical boundaries?

Yes

§1306.2 Facilities			
Facility Name	Facility Type	Services Provided By	Student Count
Bucks County Correctional Facility	Jail	Other	0

1. Describe the system of oversight the District would implement to ensure that all incarcerated students who may be eligible for special education are located, identified, evaluated and when deemed eligible, are offered a free appropriate public education (FAPE).

Within the boundaries of the Central Bucks School District, several correctional institutions are present, ensuring that a system for oversight is already in place. Similar to students accommodated in non-correctional residential facilities within the district, there exists an agreement between the Central Bucks School District (CBSD) and the Bucks County Intermediate Unit (BCIU) regarding Local Educational Agency (LEA) responsibilities. This collaboration exemplifies the district's commitment to CBSD's third Pillar of Excellence, "Community Connections," as outlined in the strategic plan. Both the district and BCIU maintain regular communication to address the needs of any students potentially eligible for services. Additionally, the district's Child Find responsibilities and procedures are available on its website, which can be accessed by either residential facilities or the families of students temporarily residing within the district. Should students be assessed and deemed eligible for services, the district collaborates with BCIU to develop an Individualized Education Program (IEP) and determine what constitutes a Free Appropriate Public Education (FAPE) for each individual student.

## Least Restrictive Environment

**1. Review the district's most recent data for Least Restrictive Environment. Highlight areas of improvement.**

Our most recent data continues to show positive trends in inclusive education. Currently, 59.6% of our students are in general education for more than 80% of the day, which is an increase from the prior year's 56.7%. Additionally, we have observed a decrease in students being educated outside of the district, from 1.9% to 1.4%. We are committed to inclusive practices, ensuring that all students, including those with special needs, have access to a supportive and engaging learning environment. This commitment is reflected in our increased efforts to provide tailored support and resources, enabling more students with special needs to thrive within general education settings. By fostering inclusivity, we aim to promote better academic and social outcomes for all our students in the Central Bucks School District.

**2. What universal practices does the district utilize to address the academic and social/emotional needs of all students in need of accommodations to their learning environments?**

The Central Bucks School District offers a wide range of supplemental aids and services to ensure that identified students are educated alongside their non-disabled peers in the general education setting to the maximum extent possible. The district has implemented a Multi-Tiered System of Supports (MTSS) across all schools, providing comprehensive support for students at every level. Various instructional delivery models, including co-teaching and supported classroom models with integrated paraprofessionals, ensure that students are educated in the least restrictive environment. Additionally, a 1:1 technology program provides students with access to assistive technology, ensuring that devices and tools are readily available as needed. Beyond technology, differentiated instruction enables access to the general education curriculum and classroom for all students. This includes modifications to curriculum, assignments, and assessments; alternate or adapted instructional materials; options for students to demonstrate learning in various ways; adaptive equipment; preferential and flexible seating; and a range of evidence-based academic, social, and behavioral interventions for targeted skill development. To support students with social and emotional needs, the district employs eight Board Certified Behavior Analysts (BCBAs) who offer coaching and training on inclusive practices, positive behavior supports, Crisis Prevention and Intervention (CPI) strategies, and individualized assistance for building and student teams. The BCBAs conduct Functional Behavioral Assessments (FBAs) and help develop positive behavior support plans. The district is also committed to hiring two additional BCBAs for the 2024-2025 school year to enhance support for district teams. Additionally, school psychologists, school counselors, and nine social workers provide ongoing support, implementing School-Wide Positive Interventions and Supports (SWPBIS) and collaborating with families and community organizations to support students' social and emotional needs across environments. The district has expanded its support network, with a total of nine social workers/mental health counselors starting in the 2024-2025 school year to ensure that students have increased access to these essential services.

**3. Describe the academic programming and training efforts the LEA utilizes to ensure meaningful participation of students with disabilities in the general education curriculum.**

The Central Bucks School District's academic programming and training are guided by a commitment to equitable, sustainable learning

outcomes for all students. To ensure that students with disabilities engage purposefully and meaningfully in the general education curriculum, the district emphasizes the use of evidence-based interventions, specially designed instruction, rigorous progress monitoring, and comprehensive professional development. Involving special education professionals in curriculum committees and program pilots is vital to ensuring that adopted curricula support full access and meaningful participation for students with disabilities. Additionally, the Strategic and Systemic training provided by the Pennsylvania Training and Technical Assistance Network (PaTTAN) has been instrumental in advancing inclusive practices. PaTTAN's training initiatives, which will continue over the next two years, equip educators with the skills and knowledge to create supportive, inclusive learning environments for all students. This ongoing training is essential in fostering increased engagement and success for students with disabilities within the general education framework.

**4. Describe the supplementary aids and services the LEA utilizes to ensure meaningful participation of students with disabilities in extracurricular activities.**

The Central Bucks School District offers a range of supplemental aids and services to ensure that students with disabilities can participate meaningfully in extracurricular activities at the elementary, middle, and secondary levels. For students who need individualized support, paraprofessionals are available to facilitate access to these activities. Each paraprofessional receives training and a handbook to guide them in supporting students effectively. Additionally, extracurricular staff members receive coaching and training from District Board Certified Behavior Analysts and Special Education Teachers to implement necessary modifications and supports for students. The district also encourages collaboration among program staff and families to ensure the effective implementation of Specially Designed Instruction and Positive Behavior Supports, creating an inclusive and supportive environment for all students.

**5. Describe the District procedures, which ensure that, to the maximum extent appropriate, children with disabilities placed in private institutions are educated with non-disabled children and have the opportunity to participate in district lead extracurricular activities?**

The Central Bucks School District offers a range of supplemental aids and services to ensure that students with disabilities can participate meaningfully in extracurricular activities at the elementary, middle, and secondary levels. For students who need individualized support, paraprofessionals are available to facilitate access to these activities. Each paraprofessional receives training and a handbook to guide them in supporting students effectively. Additionally, extracurricular staff members receive coaching and training from District Board Certified Behavior Analysts and Special Education Teachers to implement necessary modifications and supports for students. The district also encourages collaboration among program staff and families to ensure the effective implementation of Specially Designed Instruction and Positive Behavior Supports, creating an inclusive and supportive environment for all students.

**6. Discuss the district's need to build capacity and expand programs and services in an effort to provide a continuum of services. (Consider the out of district placement chart)**

The Central Bucks School District has implemented a building-based supervision model, where Special Education Supervisors are assigned to oversee students within specific school buildings. This structure allows each Supervisor to focus on the unique needs of students in their

respective locations, facilitating more personalized and active involvement in programming decisions. For students with disabilities placed in private institutions, Supervisors work closely with families to identify opportunities for these students to participate in district-led extracurricular activities alongside their non-disabled peers. Supervisors, along with Board Certified Behavior Analysts and Special Education Teachers, ensure that necessary accommodations and supports are available for full access to these activities. Paraprofessional support is provided when needed, with each paraprofessional receiving training and resources to effectively assist students. Extracurricular staff also receive coaching on implementing modifications and supports, promoting inclusive participation. This collaborative approach, which includes direct communication among program staff, families, and supervisors, guarantees that students with disabilities placed in private settings have equitable access to the district’s extracurricular programs. By focusing on in-building supervision, the district fosters a proactive approach to inclusion, ensuring that students with disabilities, regardless of their placement, benefit from the same opportunities as their non-disabled peers

### Out of District Placements

Facility Name	Facility Type	Other	Operated By	Service Type	Number of Students Placed
Samuel Everitt	Other	IU Program	Bucks County Intermediate Unit #22	Autistic Support	4
Comprehensive Learning Center	Licensed Private Academic		Comprehensive Learning Center	Autistic Support	2
Lakeside School	Licensed Private Academic		Lakeside	Emotional Support	5
Devereux	Approved Private School (APS)		Devereux	Autistic Support	1
Lifeworks	Licensed Private Academic		Foundations Behavioral Health	Emotional Support	3
Centennial School	Approved Private School (APS)		Lehigh University	Emotional Support	2



Bucks Learning Academy	Licensed Private Academic		Bucks Learning Academy	Emotional Support	6
New Hope Academy	Licensed Private Academic		New Hope Academy	Emotional Support	5
PAAL	Licensed Private Academic		MECA partnered with the Chester County Intermediate Unit	Autistic Support	3
High Road	Other	IU Program	Bucks County Intermediate Unit #22	Emotional Support	3
Vanguard School	Other		Vanguard School	Multiple Disabilities Support	1
Woods Services	Other		Woods Services	Multiple Disabilities Support	1
Woodlyn School	Licensed Private Academic		Woodlyn School	Learning Support	2
Quaker School	Licensed Private Academic		Quaker School	Learning Support	2
Lindamood Bell	Licensed Private Academic		Lindamood Bell	Autistic Support	1
Pathway School	Approved Private School (APS)		Pathway School	Emotional Support	1
PA School for the Deaf	Approved Private School (APS)		PA School for the Deaf	Deaf and Hard of Hearing Support	3
Latham Center	Other	Out of State Facility	Latham Center	Life Skills Support	1
Bucks County Learning Cooperative	Licensed Private Academic		Bucks County Learning Cooperative	Emotional Support	1
A Step Up Academy	Licensed Private Academic		A Step Up Academy	Autistic Support	1



## Positive Behavior Support

### Date of Approval

2021-01-12

### Uploaded Files

Behavior Policy.pdf

**1. How does the district support the emotional, social needs of students with disabilities?**

Central Bucks School District provides each student with a disability access to programs, services, and supports that address their educational, instructional, emotional, social, behavioral, transitional, and related service needs. For students with specific requirements in emotional and social areas, the district develops individualized programming and services as outlined in the student's Individualized Education Program (IEP). A full continuum of placement options is available to meet the needs of students with disabilities, including those with emotional and social functioning requirements. At the elementary level, while there is only one regional Emotional Support program, all elementary schools within the district offer a full continuum of behavioral services. Every secondary school in the district has dedicated emotional support programming. These Emotional Support programs serve students with significant emotional, social, and behavioral needs, providing intensive intervention to help students progress toward re-integration into their home school environment. All programs emphasize positive behavioral support across the program and include daily lessons from the AIM (Accept – Identify – Move) Curriculum, a behavior-analytic curriculum designed to foster social-emotional development in children. Supports for students with emotional and social needs ensure access to the Least Restrictive Environment (LRE). These students are assigned a case manager who oversees their educational program and coordinates with all teachers on the student's IEP team to implement any necessary specially designed instruction and related services. When needed, the IEP team includes district social workers to assist families in accessing external agency support for additional resources beyond the school setting. Central Bucks School District now has nine social workers who provide in-school counseling to ensure students with emotional and social needs receive a Free Appropriate Public Education (FAPE). Counseling services are individualized, with frequency and type tailored to each student's specific emotional and social requirements.

**2. Describe training provided to staff in the use of positive behavior supports, de-escalation techniques and responses to behavior that may require immediate intervention.**

Central Bucks School District employs eight Board Certified Behavior Analysts (BCBAs) who collaborate with IEP teams throughout the district, providing critical support in various capacities. Beginning in the 2024-2025 school year, the district has committed to hiring two additional

BCBAs to further enhance support for school-based teams. The role of BCBAs can range from consultation and conducting Functional Behavior Assessments to developing Positive Behavior Support Plans and offering direct coaching and modeling for teachers and staff. Additionally, four Program Specialists work closely with teachers to implement broad-based behavioral supports that foster a positive classroom environment while also addressing individual student needs. For more intensive behavioral challenges, the district maintains a team of Non-Violent Crisis Intervention (CPI) trainers who are re-certified annually. Through CPI training, Central Bucks School District equips staff with de-escalation strategies and personal emergency intervention techniques. These annual trainings are designed to ensure that staff are well-prepared to manage and respond effectively to behavioral situations as they arise.

**3. Describe the district positive school wide support programs.**

Sections 218 through 255 of the Central Bucks School District's Policy Manual outline behavioral policies and school-wide support programs applicable to all students. These policies encompass areas such as student discipline, weapons, terroristic acts/threats, suspension/expulsion, student government, student assistance programs, and wellness. The policies are designed to establish expected behaviors and provide guidance on supports available for all students, as well as the consequences for non-compliance. Additionally, Central Bucks School Board Policies 113 and 113.1 specifically address special education and the discipline of students with disabilities. Of particular relevance is Board Policy 113.3, which details the district's approach to positive behavior supports. This policy encourages the use of positive behavior support plans and, when necessary, permits the use of physical restraints as part of crisis intervention plans. All elementary schools within the district implement the Multi-Tiered System of Supports (MTSS), utilizing the Second Step curriculum to foster social and emotional learning with an emphasis on improving school-wide behavior and self-regulation. Our middle schools are currently in their second year of MTSS implementation. Informally, each school has established its own school-wide positive behavior support system, providing students with tangible recognition for positive actions and acts of kindness as defined in each school's behavior code.

**4. Describe the district school-based behavior health services.**

Central Bucks School District Policy 236 defines the Student Assistance Program (SAP) as a structured process that uses proven professional techniques to activate school resources in order to remove barriers to learning. Any district faculty or staff member may refer a student to SAP. SAP teams within each school are responsible for notifying parents of any identified needs, providing information on community resources, collaborating with families and external agencies, and developing a plan for in-school support services. The district now employs nine of its own social workers to provide in-school counseling services for students who need this support. These social workers play a key role in delivering individualized counseling and connecting families with additional community-based mental health and social services, ensuring that students receive comprehensive support within the school environment.

**5. Describe the district restraint procedure.**

Central Bucks School District implements Crisis Prevention and Intervention (CPI), a comprehensive program designed to equip staff with the knowledge and skills needed to prevent, defuse, and manage crisis situations effectively. CPI is research-based and aligned with current best

practices, emphasizing a continuum of interventions rooted in a least-restrictive, positive approach. Its primary focus on preventive measures aims to reduce and eliminate the need for seclusion and restraint. Currently, approximately 300 district staff, faculty, and administrators are certified in CPI annually. CPI training provides staff with the tools to navigate crises and reduce their intensity. This includes identifying antecedents (triggers and signals), predicting behaviors, and seeking additional assistance as needed. Certified teams also engage in proactive interventions, de-escalation techniques, and reinforcement of positive, non-crisis behaviors. Physical restraint is always a last resort and is only used when absolutely necessary. In such cases, a certified team member documents the procedure, and this documentation is promptly submitted to the state reporting agency.

## Intensive Interagency

**Please address any areas of concern with students who are placed on Instruction Conducted in the Home or who are at a substantial risk of waiting more than 30 days for an appropriate educational placement.**

In very rare cases where an immediate and appropriate placement is unavailable within the district, Central Bucks School District collaborates with the local Intermediate Unit's Interagency Coordinator and the Child and Adolescent Social Services Program to secure and expedite a suitable placement. In these instances, the Intermediate Unit often takes the lead in creatively developing interim or long-term programming solutions. This may involve modifications to an existing program or the provision of additional supports to meet specific student needs. The district has consistently been able to provide effective programming for all groups of students. Additionally, Central Bucks' blended program—offering both cyber schooling and traditional in-person classes—has expanded general education opportunities, creating flexible learning pathways that accommodate a wide range of student needs and learning styles.

## Special Education Facilities

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-West		B112B
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
14 feet, 6 inches x 21 feet, 10 inches	316sqft	11
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

### 1Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>	<b>Room #</b>
Central Bucks HS-West	D115A
<b>School Building</b>	<b>Building Description</b>
	A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
14 feet, 6 inches x 21 feet, 11 inches	317sqft	11
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

2Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Cold Spring El Sch		120
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 2 inches x 30 feet, 0 inches	905sqft	32
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		



### 3 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Lenape MS		409
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
36 feet, 0 inches x 22 feet, 0 inches	792sqft	28
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

### 4 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Groveland El Sch		216
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 0 inches x 28 feet, 0 inches	840sqft	30
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

5Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>	<b>Room #</b>
Titus El Sch	112
<b>School Building</b>	<b>Building Description</b>
	A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
14 feet, 0 inches x 9 feet, 0 inches	126sqft	4
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

6Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-East		D204L
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
20 feet, 5 inches x 34 feet, 8 inches	707sqft	25
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

7Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-East		D124
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
20 feet, 10 inches x 30 feet, 1 inches	626sqft	22
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

8Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Kutz El Sch		E-3
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
23 feet, 0 inches x 29 feet, 8 inches	682sqft	24
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

9Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Tamanend MS		502
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
15 feet, 0 inches x 26 feet, 9 inches	401sqft	14
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

10Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Holicong MS		203
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
23 feet, 3 inches x 34 feet, 10 inches	809sqft	28
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

11 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-East		D112
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
24 feet, 11 inches x 30 feet, 2 inches	751sqft	26
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

12 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Cold Spring El Sch		205
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 0 inches x 30 feet, 0 inches	900sqft	32
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

13Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Kutz El Sch		A-12
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated



<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 11 inches x 30 feet, 6 inches	912sqft	32
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

14 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Titus El Sch		105
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
24 feet, 0 inches x 30 feet, 0 inches	720sqft	25
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

15 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Linden El Sch		22B
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
31 feet, 6 inches x 12 feet, 11 inches	406sqft	14
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

16 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Barclay El Sch		405
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
27 feet, 10 inches x 24 feet, 10 inches	691sqft	24
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

17Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>	<b>Room #</b>
Doyle El Sch	N15
<b>School Building</b>	<b>Building Description</b>
	A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
13 feet, 0 inches x 31 feet, 4 inches	407sqft	14
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

18Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-West		C101
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
23 feet, 3 inches x 30 feet, 0 inches	697sqft	24
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

19 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	
The class is composed of at least 28 square feet per student	Yes	

Building Name		Room #
Central Bucks HS-South		C211
School Building		Building Description
		A building in which general education programs are operated
Classroom Measurements	Classroom Area Measurement	Max # of students in classroom
13 feet, 3 inches x 31 feet, 0 inches	410sqft	14
Implementation Date		
2022-06-07		
Uploaded Files		

20 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-West		B101
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
22 feet, 6 inches x 28 feet, 10 inches	648sqft	23
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

**21Assurance Check**

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>	<b>Room #</b>
Tohickon MS	223
<b>School Building</b>	<b>Building Description</b>
	A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
23 feet, 9 inches x 33 feet, 1 inches	785sqft	28
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

22Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Buckingham El Sch		20
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
33 feet, 0 inches x 15 feet, 11 inches	525sqft	18
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

23Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Lenape MS		104
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
22 feet, 0 inches x 15 feet, 0 inches	330sqft	11
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

24Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	



<b>Building Name</b>		<b>Room #</b>
Cold Spring El Sch		208
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 0 inches x 30 feet, 0 inches	900sqft	32
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

25Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-East		C207
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
26 feet, 10 inches x 38 feet, 0 inches	1019sqft	36
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

26Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Butler El Sch		B104A
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
14 feet, 9 inches x 32 feet, 8 inches	481sqft	17
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

27 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Linden El Sch		31
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
32 feet, 2 inches x 27 feet, 11 inches	897sqft	32
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

28 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Barclay El Sch		303A
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
25 feet, 9 inches x 17 feet, 4 inches	446sqft	15
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

29Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Warwick El Sch		7B
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 1 inches x 11 feet, 5 inches	332sqft	11
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

30 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Jamison El Sch		117
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 11 inches x 31 feet, 1 inches	929sqft	33
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

31 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-West		C115A
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
14 feet, 6 inches x 22 feet, 0 inches	319sqft	11
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

32 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Pine Run El Sch		304
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
15 feet, 7 inches x 28 feet, 7 inches	445sqft	15
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

33Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Tohickon MS		213
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
23 feet, 7 inches x 27 feet, 0 inches	636sqft	22
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

34 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Lenape MS		508
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
22 feet, 0 inches x 26 feet, 0 inches	572sqft	20
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		



35 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Tohickon MS		311
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
23 feet, 7 inches x 27 feet, 1 inches	638sqft	22
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

36 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Warwick El Sch		1
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
26 feet, 8 inches x 24 feet, 1 inches	642sqft	22
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

37Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-East		D208
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
20 feet, 5 inches x 36 feet, 10 inches	752sqft	26
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

38 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Jamison El Sch		211/212
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
33 feet, 0 inches x 27 feet, 1 inches	893sqft	31
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

39 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Bridge Valley El Sch		108
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
31 feet, 9 inches x 29 feet, 11 inches	949sqft	33
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

40 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Tamanend MS		207/209
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
25 feet, 3 inches x 39 feet, 3 inches	991sqft	35
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

41Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-South		C218
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
25 feet, 6 inches x 39 feet, 7 inches	1009sqft	36
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

42Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Groveland El Sch		214
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
28 feet, 0 inches x 28 feet, 0 inches	784sqft	28
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

43 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-West		B111B
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
14 feet, 6 inches x 21 feet, 10 inches	316sqft	11
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

44 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Cold Spring El Sch		119
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 10 inches x 30 feet, 6 inches	909sqft	32
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

45Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>	<b>Room #</b>
Unami MS	201
<b>School Building</b>	<b>Building Description</b>
	A building in which general education programs are operated



<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
21 feet, 0 inches x 34 feet, 0 inches	714sqft	25
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

46Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Bridge Valley El Sch		199
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 1 inches x 28 feet, 11 inches	840sqft	30
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

47 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Jamison El Sch		218
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 6 inches x 30 feet, 2 inches	920sqft	32
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

48 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-East		D108
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
24 feet, 10 inches x 28 feet, 8 inches	711sqft	25
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

49Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>	<b>Room #</b>
Linden El Sch	20
<b>School Building</b>	<b>Building Description</b>
	A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
26 feet, 1 inches x 32 feet, 4 inches	843sqft	30
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

50Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-South		C312
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
14 feet, 4 inches x 31 feet, 0 inches	444sqft	15
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

51 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-West		B110A
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
14 feet, 6 inches x 21 feet, 10 inches	316sqft	11
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

52 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Groveland El Sch		221
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 0 inches x 28 feet, 0 inches	840sqft	30
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

53Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Unami MS		229
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
24 feet, 0 inches x 30 feet, 0 inches	720sqft	25
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

54 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-South		C218L
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
28 feet, 0 inches x 22 feet, 10 inches	639sqft	22
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

55 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Titus El Sch		104
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
18 feet, 0 inches x 21 feet, 0 inches	378sqft	13
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

56 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	



<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-East		D126
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
27 feet, 10 inches x 24 feet, 0 inches	668sqft	23
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

57Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>	<b>Room #</b>
Barclay El Sch	303B
<b>School Building</b>	<b>Building Description</b>
	A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
25 feet, 0 inches x 16 feet, 0 inches	400sqft	14
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

58Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Holicong MS		211
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
23 feet, 3 inches x 34 feet, 10 inches	809sqft	28
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

59 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-West		C115B
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
14 feet, 6 inches x 22 feet, 0 inches	319sqft	11
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

60 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Bridge Valley El Sch		149
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
31 feet, 8 inches x 14 feet, 6 inches	459sqft	16
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

61Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Lenape MS		226
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 0 inches x 22 feet, 0 inches	638sqft	22
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

62Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Pine Run El Sch		404
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
15 feet, 7 inches x 28 feet, 7 inches	445sqft	15
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

63 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Gayman El Sch		29
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
31 feet, 0 inches x 22 feet, 7 inches	700sqft	25
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

64 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Tohickon MS		215
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
23 feet, 8 inches x 33 feet, 8 inches	796sqft	28
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

65Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Cold Spring El Sch		207
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 0 inches x 30 feet, 0 inches	900sqft	32
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

66Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Titus El Sch		407
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
17 feet, 0 inches x 30 feet, 0 inches	510sqft	18
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		



67Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Holicong MS		136
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
13 feet, 11 inches x 29 feet, 2 inches	405sqft	14
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

68Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Mill Creek El Sch		215
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 10 inches x 30 feet, 0 inches	925sqft	33
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

69Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>	<b>Room #</b>
Bridge Valley El Sch	233
<b>School Building</b>	<b>Building Description</b>
	A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
32 feet, 8 inches x 29 feet, 5 inches	960sqft	34
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

70Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-West		D115B
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
14 feet, 6 inches x 21 feet, 11 inches	317sqft	11
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

71 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Lenape MS		411
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
28 feet, 0 inches x 24 feet, 0 inches	672sqft	24
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

72 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Cold Spring El Sch		125
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
24 feet, 0 inches x 13 feet, 3 inches	318sqft	11
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

73Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Buckingham El Sch		39
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
32 feet, 8 inches x 27 feet, 10 inches	909sqft	32
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

74Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Tohickon MS		101
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
26 feet, 10 inches x 22 feet, 5 inches	601sqft	21
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

75Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-East		D205
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
20 feet, 10 inches x 22 feet, 10 inches	475sqft	16
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

76Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Gayman El Sch		12
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
31 feet, 0 inches x 24 feet, 6 inches	759sqft	27
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

77Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Jamison El Sch		119
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated



<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 0 inches x 30 feet, 5 inches	912sqft	32
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

78Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Linden El Sch		35
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 9 inches x 27 feet, 4 inches	840sqft	30
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

79 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Warwick El Sch		10
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
24 feet, 3 inches x 14 feet, 11 inches	361sqft	12
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

80 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-South		C111
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
14 feet, 4 inches x 31 feet, 0 inches	444sqft	15
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

81Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-West		C103
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
23 feet, 3 inches x 30 feet, 0 inches	697sqft	24
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

82Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Tohickon MS		312
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
24 feet, 7 inches x 33 feet, 8 inches	827sqft	29
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

83Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Lenape MS		334
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
28 feet, 0 inches x 22 feet, 0 inches	616sqft	22
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

84Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-West		B110B
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
14 feet, 6 inches x 21 feet, 10 inches	316sqft	11
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

85Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>	<b>Room #</b>
Central Bucks HS-East	D216
<b>School Building</b>	<b>Building Description</b>
	A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
26 feet, 1 inches x 34 feet, 0 inches	886sqft	31
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

86Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Warwick El Sch		2
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
28 feet, 8 inches x 22 feet, 1 inches	633sqft	22
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

87Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Unami MS		234
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
15 feet, 0 inches x 22 feet, 0 inches	330sqft	11
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

88Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	



<b>Building Name</b>		<b>Room #</b>
Jamison El Sch		215
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 7 inches x 24 feet, 6 inches	749sqft	26
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

89Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Linden El Sch		22A
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
31 feet, 5 inches x 10 feet, 3 inches	322sqft	11
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

90Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Holicong MS		235
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
24 feet, 2 inches x 29 feet, 2 inches	704sqft	25
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

91 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-South		C212
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
14 feet, 4 inches x 31 feet, 0 inches	444sqft	15
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

92 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-West		B102
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
22 feet, 6 inches x 22 feet, 6 inches	506sqft	18
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

93Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Tohickon MS		224
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
23 feet, 9 inches x 33 feet, 8 inches	799sqft	28
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

94Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Unami MS		329
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
15 feet, 0 inches x 25 feet, 0 inches	375sqft	13
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

95Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Butler El Sch		B116A
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
22 feet, 11 inches x 17 feet, 0 inches	389sqft	13
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

96Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Unami MS		210
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
24 feet, 0 inches x 31 feet, 0 inches	744sqft	26
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

97Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-East		D108A
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
10 feet, 10 inches x 13 feet, 6 inches	146sqft	5
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

98Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Bridge Valley El Sch		232
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 1 inches x 32 feet, 7 inches	947sqft	33
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		



99Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-South		C318A
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
21 feet, 0 inches x 39 feet, 7 inches	831sqft	29
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

100Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Jamison El Sch		221
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
31 feet, 2 inches x 30 feet, 0 inches	935sqft	33
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

101Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Buckingham El Sch		15L
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 0 inches x 14 feet, 7 inches	422sqft	15
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

102Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Cold Spring El Sch		106
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 0 inches x 30 feet, 5 inches	912sqft	32
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

103 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Titus El Sch		102/103
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
22 feet, 0 inches x 35 feet, 0 inches	770sqft	27
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

104 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Lenape MS		106
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
37 feet, 0 inches x 22 feet, 0 inches	814sqft	29
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

105 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Groveland El Sch		222
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 0 inches x 28 feet, 0 inches	840sqft	30
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

106Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Tamanend MS		229
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
20 feet, 8 inches x 26 feet, 6 inches	547sqft	19
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

107 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Tamanend MS		509
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
17 feet, 0 inches x 26 feet, 9 inches	454sqft	16
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

108 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Cold Spring El Sch		118
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 2 inches x 25 feet, 0 inches	754sqft	26
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

109Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Groveland El Sch		215
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated



<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 0 inches x 28 feet, 0 inches	840sqft	30
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

110Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-South		B206
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
9 feet, 0 inches x 11 feet, 2 inches	100sqft	3
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

111 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Titus El Sch		503
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
22 feet, 0 inches x 30 feet, 0 inches	660sqft	23
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

112 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-West		B112A
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
22 feet, 4 inches x 29 feet, 6 inches	658sqft	23
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

113Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-East		D108L
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
23 feet, 11 inches x 24 feet, 11 inches	595sqft	21
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

114Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Holicong MS		140
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
18 feet, 9 inches x 34 feet, 3 inches	642sqft	22
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

115 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Mill Creek El Sch		216
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 7 inches x 31 feet, 9 inches	939sqft	33
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

116 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Linden El Sch		16
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
31 feet, 7 inches x 26 feet, 8 inches	842sqft	30
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

117Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Jamison El Sch		103
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 1 inches x 30 feet, 6 inches	917sqft	32
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

118Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Holicong MS		239
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
24 feet, 0 inches x 30 feet, 1 inches	722sqft	25
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

119 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-West		D113
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
12 feet, 11 inches x 21 feet, 11 inches	283sqft	10
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

120 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	



<b>Building Name</b>		<b>Room #</b>
Lenape MS		412
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
28 feet, 0 inches x 24 feet, 0 inches	672sqft	24
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

121Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Buckingham El Sch		77
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
31 feet, 0 inches x 10 feet, 0 inches	310sqft	11
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

122Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Tohickon MS		122
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
23 feet, 6 inches x 33 feet, 8 inches	791sqft	28
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

123Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-East		D204
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
20 feet, 10 inches x 23 feet, 0 inches	479sqft	17
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

124Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Holicong MS		224C
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
14 feet, 0 inches x 30 feet, 11 inches	432sqft	15
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

125Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>	<b>Room #</b>
Central Bucks HS-East	D103
<b>School Building</b>	<b>Building Description</b>
	A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
21 feet, 9 inches x 27 feet, 2 inches	590sqft	21
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

126Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Barclay El Sch		419
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
36 feet, 2 inches x 14 feet, 9 inches	533sqft	19
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

127 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-West		A114
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
26 feet, 7 inches x 32 feet, 5 inches	861sqft	30
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

128 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Buckingham El Sch		15
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
14 feet, 0 inches x 10 feet, 0 inches	140sqft	5
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

129Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Tohickon MS		221
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
23 feet, 9 inches x 33 feet, 8 inches	799sqft	28
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

130Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Pine Run El Sch		504
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
15 feet, 7 inches x 28 feet, 7 inches	445sqft	15
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		



131 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Lenape MS		227
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 0 inches x 22 feet, 0 inches	638sqft	22
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

132 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Lenape MS		336
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
28 feet, 0 inches x 22 feet, 0 inches	616sqft	22
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

133Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Cold Spring El Sch		206
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 0 inches x 30 feet, 0 inches	900sqft	32
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

134Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-East		C206
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
19 feet, 9 inches x 38 feet, 0 inches	750sqft	26
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

135 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Bridge Valley El Sch		198
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
28 feet, 6 inches x 28 feet, 11 inches	824sqft	29
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

136 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Jamison El Sch		217
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 11 inches x 30 feet, 6 inches	912sqft	32
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

137Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>	<b>Room #</b>
Tamanend MS	232
<b>School Building</b>	<b>Building Description</b>
	A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
21 feet, 4 inches x 25 feet, 0 inches	533sqft	19
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

138Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-South		C311
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
13 feet, 3 inches x 31 feet, 0 inches	410sqft	14
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

139 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-West		B104
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
22 feet, 6 inches x 34 feet, 9 inches	781sqft	27
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

140 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Tohickon MS		305
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
23 feet, 4 inches x 33 feet, 8 inches	785sqft	28
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

141Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Unami MS		324
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated



<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
24 feet, 0 inches x 31 feet, 0 inches	744sqft	26
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

142Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Butler El Sch		B116B
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
18 feet, 0 inches x 24 feet, 8 inches	444sqft	15
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

143 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Unami MS		320
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
20 feet, 0 inches x 20 feet, 0 inches	400sqft	14
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

144 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Warwick El Sch		20
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
22 feet, 0 inches x 17 feet, 5 inches	383sqft	13
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

145Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Jamison El Sch		210
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 7 inches x 12 feet, 2 inches	372sqft	13
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

146Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-South		C112
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
13 feet, 3 inches x 31 feet, 0 inches	410sqft	14
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

147 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Tamanend MS		205
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
23 feet, 11 inches x 24 feet, 11 inches	595sqft	21
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

148 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Linden El Sch		2
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
31 feet, 0 inches x 27 feet, 0 inches	837sqft	29
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

149Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-South		C318B
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
22 feet, 8 inches x 42 feet, 9 inches	969sqft	34
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

150Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Groveland El Sch		171
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 0 inches x 30 feet, 0 inches	870sqft	31
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

151 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-West		C105
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
23 feet, 3 inches x 28 feet, 10 inches	670sqft	23
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

152 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	



<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-West		B111A
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
14 feet, 6 inches x 21 feet, 10 inches	316sqft	11
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

153 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>	<b>Room #</b>
Warwick El Sch	7A
<b>School Building</b>	<b>Building Description</b>
	A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 1 inches x 16 feet, 5 inches	477sqft	17
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

154Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Unami MS		311
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
17 feet, 0 inches x 25 feet, 0 inches	425sqft	15
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

155 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Butler El Sch		B104
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
14 feet, 8 inches x 32 feet, 8 inches	479sqft	17
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

156 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>		<b>Room #</b>
Cold Spring El Sch		117
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 10 inches x 30 feet, 6 inches	909sqft	32
<b>Implementation Date</b>		
2022-06-07		
<b>Uploaded Files</b>		

157 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.	Yes	

<b>Building Name</b>	<b>Room #</b>
Unami MS	201
<b>School Building</b>	<b>Building Description</b>
Middle	A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
21 feet, 0 inches x 34 feet, 0 inches	714sqft	25
<b>Implementation Date</b>		
2024-11-11		
<b>Uploaded Files</b>		

158Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-West		D101
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
22 feet, 0 inches x 28 feet, 0 inches	616sqft	22
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

159 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-West		D103
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
22 feet, 0 inches x 30 feet, 0 inches	660sqft	23
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

160 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Central Bucks HS-East		D206B
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
23 feet, 3 inches x 29 feet, 6 inches	685sqft	24
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

161Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Groveland El Sch		113
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
22 feet, 0 inches x 21 feet, 0 inches	462sqft	16
<b>Implementation Date</b>		
2024-11-11		
<b>Uploaded Files</b>		

162Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Groveland El Sch		117
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
22 feet, 0 inches x 21 feet, 0 inches	462sqft	16
<b>Implementation Date</b>		
2024-11-11		
<b>Uploaded Files</b>		



163 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Groveland El Sch		172
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 0 inches x 30 feet, 0 inches	870sqft	31
<b>Implementation Date</b>		
2024-11-11		
<b>Uploaded Files</b>		

164 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Groveland El Sch		173
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 0 inches x 30 feet, 0 inches	870sqft	31
<b>Implementation Date</b>		
2024-11-11		
<b>Uploaded Files</b>		

165Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Groveland El Sch		174
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 0 inches x 30 feet, 0 inches	870sqft	31
<b>Implementation Date</b>		
2024-11-11		
<b>Uploaded Files</b>		

166Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Groveland El Sch		207
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 0 inches x 28 feet, 0 inches	840sqft	30
<b>Implementation Date</b>		
2024-11-11		
<b>Uploaded Files</b>		

167 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Groveland El Sch		211
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 0 inches x 28 feet, 0 inches	840sqft	30
<b>Implementation Date</b>		
2024-11-11		
<b>Uploaded Files</b>		

168 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Groveland El Sch		225
<b>School Building</b>		<b>Building Description</b>
		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 0 inches x 28 feet, 0 inches	840sqft	30
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

169Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Butler El Sch		A103
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
18 feet, 0 inches x 27 feet, 0 inches	486sqft	17
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

170Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Butler El Sch		A106
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
12 feet, 0 inches x 8 feet, 0 inches	96sqft	3
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

171 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Butler El Sch		A133
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 0 inches x 27 feet, 0 inches	810sqft	28
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

172 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Butler El Sch		A134
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 0 inches x 27 feet, 0 inches	810sqft	28
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

173Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Butler El Sch		A135B
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated



<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
22 feet, 0 inches x 23 feet, 0 inches	506sqft	18
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

174Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Butler El Sch		C118
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
25 feet, 0 inches x 23 feet, 0 inches	575sqft	20
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

175 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Cold Spring El Sch		219
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
30 feet, 0 inches x 30 feet, 0 inches	900sqft	32
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

176 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Kutz El Sch		A-1
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
25 feet, 0 inches x 23 feet, 0 inches	575sqft	20
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

177Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Kutz El Sch		A-10
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 0 inches x 29 feet, 0 inches	841sqft	30
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

178Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Kutz El Sch		C-2
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
35 feet, 0 inches x 23 feet, 0 inches	805sqft	28
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

179 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Kutz El Sch		B-1
<b>School Building</b>		<b>Building Description</b>
Senior High		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
37 feet, 0 inches x 24 feet, 0 inches	888sqft	31
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

180 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Kutz El Sch		B-3
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
36 feet, 0 inches x 24 feet, 0 inches	864sqft	30
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

181Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Kutz El Sch		B-11
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
19 feet, 0 inches x 12 feet, 0 inches	228sqft	8
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

182Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Kutz El Sch		B-4
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
25 feet, 0 inches x 18 feet, 0 inches	450sqft	16
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

183Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Kutz El Sch		B-13
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
25 feet, 0 inches x 10 feet, 0 inches	250sqft	8
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

184Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No



<b>Building Name</b>		<b>Room #</b>
Kutz El Sch		E-6D
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
12 feet, 0 inches x 23 feet, 0 inches	276sqft	9
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

185Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Warwick El Sch		3
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 0 inches x 19 feet, 0 inches	551sqft	19
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

186Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Bridge Valley El Sch		231
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
31 feet, 9 inches x 29 feet, 5 inches	933sqft	33
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

187Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Bridge Valley El Sch		218
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 4 inches x 31 feet, 8 inches	928sqft	33
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

188Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Bridge Valley El Sch		230
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
29 feet, 0 inches x 29 feet, 10 inches	865sqft	30
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

189Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Bridge Valley El Sch		235
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
32 feet, 8 inches x 29 feet, 5 inches	960sqft	34
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

190Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Bridge Valley El Sch		104
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
12 feet, 0 inches x 12 feet, 0 inches	144sqft	5
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

191 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Bridge Valley El Sch		247
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
12 feet, 0 inches x 12 feet, 0 inches	144sqft	5
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

192 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Doyle El Sch		S3
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
31 feet, 0 inches x 28 feet, 0 inches	868sqft	31
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

193Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Doyle El Sch		S6
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
34 feet, 0 inches x 28 feet, 0 inches	952sqft	34
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

194Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Doyle El Sch		N8
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
28 feet, 0 inches x 28 feet, 0 inches	784sqft	28
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		



195 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student		No
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Holicong MS		224B
<b>School Building</b>		<b>Building Description</b>
Middle		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
14 feet, 0 inches x 30 feet, 11 inches	432sqft	15
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

196 Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Mill Creek El Sch		104
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
34 feet, 0 inches x 29 feet, 0 inches	986sqft	35
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

197Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Mill Creek El Sch		106
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
34 feet, 0 inches x 29 feet, 0 inches	986sqft	35
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

198Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Mill Creek El Sch		119
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
34 feet, 0 inches x 29 feet, 0 inches	986sqft	35
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

199Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Mill Creek El Sch		120
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
34 feet, 0 inches x 29 feet, 0 inches	986sqft	35
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

200Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Mill Creek El Sch		121
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
34 feet, 0 inches x 29 feet, 0 inches	986sqft	35
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

201Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Mill Creek El Sch		124
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated

<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
34 feet, 0 inches x 29 feet, 0 inches	986sqft	35
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

202Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Mill Creek El Sch		171
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
39 feet, 0 inches x 29 feet, 0 inches	1131sqft	40
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

203Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Mill Creek El Sch		172
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
39 feet, 0 inches x 29 feet, 0 inches	1131sqft	40
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

204Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Mill Creek El Sch		214
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
26 feet, 0 inches x 29 feet, 0 inches	754sqft	26
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

205Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Mill Creek El Sch		218
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated



<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
26 feet, 0 inches x 29 feet, 0 inches	754sqft	26
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

206Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Linden El Sch		14
<b>School Building</b>		<b>Building Description</b>
Elementary		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
15 feet, 0 inches x 32 feet, 0 inches	480sqft	17
<b>Implementation Date</b>		
2025-02-20		
<b>Uploaded Files</b>		

207Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No

<b>Building Name</b>		<b>Room #</b>
Tamanend MS		231
<b>School Building</b>		<b>Building Description</b>
Middle		A building in which general education programs are operated
<b>Classroom Measurements</b>	<b>Classroom Area Measurement</b>	<b>Max # of students in classroom</b>
27 feet, 6 inches x 21 feet, 3 inches	584sqft	20
<b>Implementation Date</b>		
2024-09-02		
<b>Uploaded Files</b>		

208Assurance Check

Assurance Check	Yes	No
The class is maintained as close as appropriate to the ebb and flow of usual school activities	Yes	
The class is located where noise will not interfere with instruction	Yes	
The class is located only in space that is designed for purposes of instruction	Yes	
The class is readily accessible	Yes	
The class is composed of at least 28 square feet per student	Yes	
The location of the class has been maintained for at least 3 school years.		No



## Special Education Support Services

209Special Education Support Services

<b>Special Education Support Services</b>	<b>Numerical Value</b>	<b>Primary Location</b>	<b>Contractor or District</b>
Director of Pupil Services	1	District Wide	District
Transition Coordinator	1	Secondary	District
Behavior Specialist	8	District Wide	District
Social Worker	9	District Wide	District
Other	6	District Wide	District
Other	4	District Wide	District
Guidance Counselor	49	District Wide	District
School Psychologist	19	District Wide	District
Physical Therapist	10	District Wide	Contractor
Occupational Therapist	20	District Wide	Contractor
Paraprofessionals	413	District Wide	District

## Special Education Personnel Development

### Autism

<b>Description of Training</b>			
Developing a Deeper Understanding of Autism and Evidence-based Practices to Support Students in Inclusive Environments			
<b>Lead Person/Position</b>		<b>Year of Training</b>	
Special Education and General Education Teachers		2025 2026 2027 2028	
<b>Hours Per Training</b>	<b>Number of Sessions</b>	<b>Provider</b>	<b>Audience</b>
1	6	District PaTTAN	General Education Teachers

<b>Description of Training</b>			
Supporting New Autism Support Program Teams: Fostering Partnerships Between New and Established Teams			
<b>Lead Person/Position</b>		<b>Year of Training</b>	
Special Education Supervisors, Special Education Teachers, Program Specialists, Board Certified Behavior Analysts		2025 2026 2027 2028	
<b>Hours Per Training</b>	<b>Number of Sessions</b>	<b>Provider</b>	<b>Audience</b>
1	4	District	Building Administrators Special Education Teachers

## Positive Behavior Support

<b>Description of Training</b>			
Legal Training for General Education Teachers on Implementing PBSPs, Collecting Data and Implementing SDIs			
<b>Lead Person/Position</b>		<b>Year of Training</b>	
Legal Counsel		2026 2027 2028	
<b>Hours Per Training</b>	<b>Number of Sessions</b>	<b>Provider</b>	<b>Audience</b>
3.5 hours	(1) .5 Day	Other	General Education Teachers

<b>Description of Training</b>			
PBSP Training for General Education Teachers on Prevention and De-Escalation in the General Education Setting			
<b>Lead Person/Position</b>		<b>Year of Training</b>	
PBSP Training for General Education Teachers on Prevention and De-Escalation in the General Education Setting		2026 2027 2028	
<b>Hours Per Training</b>	<b>Number of Sessions</b>	<b>Provider</b>	<b>Audience</b>
3.5	(1) .5 Day	District	General Education Teachers

## Paraprofessional

<b>Description of Training</b>	
Inclusion Practices	
<b>Lead Person/Position</b>	<b>Year of Training</b>
Special Education Supervisors, Program Specialists, Special Education Teachers, PaTTAN, Bucks IU	2025

		2026 2027 2028	
<b>Hours Per Training</b>	<b>Number of Sessions</b>	<b>Provider</b>	<b>Audience</b>
2	2	District Intermediate Unit PaTTAN	Paraprofessionals

<b>Description of Training</b>			
Classroom Support, Behavior, and Data Collection			
<b>Lead Person/Position</b>		<b>Year of Training</b>	
Special Education Supervisors, Program Specialists, Special Education Teachers, BCBA's		2025 2026 2027 2028	
<b>Hours Per Training</b>	<b>Number of Sessions</b>	<b>Provider</b>	<b>Audience</b>
2	2	District	Paraprofessionals

### Transition

<b>Description of Training</b>	
Using Transition Assessments to Drive Instruction	
<b>Lead Person/Position</b>	<b>Year of Training</b>
Special Education Supervisors, Program Specialists	2025 2026 2027

		2028	
<b>Hours Per Training</b>	<b>Number of Sessions</b>	<b>Provider</b>	<b>Audience</b>
1	4	District	Special Education Teachers

<b>Description of Training</b>			
Supporting Students with Low-Incidence Disabilities in the General Education Setting- will include both school-based inclusion practices and community-based practices.			
<b>Lead Person/Position</b>		<b>Year of Training</b>	
Special Education Supervisors, Program Specialists		2025 2026 2027 2028	
<b>Hours Per Training</b>	<b>Number of Sessions</b>	<b>Provider</b>	<b>Audience</b>
1	3	District	General Education Teachers Paraprofessionals Special Education Teachers

### Science of Literacy

<b>Description of Training</b>	
Direct, systematic, teacher led instruction in decoding, encoding, fluency, vocabulary, and morphology skills promote comprehension. Anita Archer's REWARDS intermediate reading intervention is evidence-based and teaches reading skills students need to master to become proficient readers.	
<b>Lead Person/Position</b>	<b>Year of Training</b>
VOYAGER SOPRIS LEARNING: Virtual Platform	2025 2026



		2027 2028	
<b>Hours Per Training</b>	<b>Number of Sessions</b>	<b>Provider</b>	<b>Audience</b>
7	1	District Other	Building Administrators Special Education Teachers

<b>Description of Training</b>			
Identification of students' independent and instructional reading proficiency levels provide clear baseline levels, target IEP goal reading outcomes, and guide IEP goal progress monitoring for skill attainment. The Qualitative Reading Inventory VII is a metric that drives the evaluation, analysis, and data dependent decision making to drive reading IEP goals and determine the Least Restrictive Environment for students with IEPs.			
<b>Lead Person/Position</b>		<b>Year of Training</b>	
Special Education Program Specialists		2025 2026 2027 2028	
<b>Hours Per Training</b>	<b>Number of Sessions</b>	<b>Provider</b>	<b>Audience</b>
2 hours	2 sessions per year	District	Building Administrators Special Education Teachers

### Parent Training

<b>Description of Training</b>	
Understanding the IEP – “IEP Implementation through the Years”: This series will help parents understand the IEP document and how it may be implemented thought a student’s educational career. A family resource guide will be created outlining the supports and services in the Pupil Services Department and it will explain the IEP process.	
<b>Lead Person/Position</b>	<b>Year of Training</b>

Director of Pupil Services, Special Education Supervisors, Program Specialists, and Transition Coordinator		2025 2026 2027 2028	
<b>Hours Per Training</b>	<b>Number of Sessions</b>	<b>Provider</b>	<b>Audience</b>
1	4	District	Parents

<b>Description of Training</b>			
Supporting Families in the Home and Community: This series of trainings will provide opportunities for families to access strategies, supports, and resources to help their child in the home and community. Suggested topics may include: strategies to support students with community resources for students with various disabilities, and post-secondary supports and services, reading disabilities, and positive behavioral supports in the home.			
<b>Lead Person/Position</b>		<b>Year of Training</b>	
Director of Pupil Services, Special Education Supervisors, Program Specialists, Board Certified Behavior Analysts, Outside Agencies, PaTTAN		2025 2026 2027 2028	
<b>Hours Per Training</b>	<b>Number of Sessions</b>	<b>Provider</b>	<b>Audience</b>
1	6	District PaTTAN Other	Parents

### IEP Development

<b>Description of Training</b>	
A focus on skill-based IEP goal development related to executive functioning inclusive of progress monitoring and data collection tools.	
<b>Lead Person/Position</b>	<b>Year of Training</b>

Director of Pupil Services, Special Education Supervisors, Program Specialists, PaTTAN, General Education Teachers, Building Principals		2026 2027 2028	
<b>Hours Per Training</b>	<b>Number of Sessions</b>	<b>Provider</b>	<b>Audience</b>
1-2 hours	2 sessions	District PaTTAN	Building Administrators Central Office Administrators General Education Teachers Special Education Teachers Other

<b>Description of Training</b>			
Legally defensible IEP goal development for executive functioning skills with a focus on legally defensible tools to progress monitor and collect data.			
<b>Lead Person/Position</b>		<b>Year of Training</b>	
Legal Counsel, Director of Pupil Services, Special Education Supervisors, Special Education Program Specialists		2026 2027 2028	
<b>Hours Per Training</b>	<b>Number of Sessions</b>	<b>Provider</b>	<b>Audience</b>
1-2 hours	2 sessions	District Other	Central Office Administrators Special Education Teachers Other



## Signatures & Affirmations

Approval Date

### Uploaded Files

- x There are a full range of services, programs and alternative placements available to the school district for placement and implementation of the special education programs in the school district.
- x The school district has adopted a child find system to locate, identify and evaluate young children and children who are thought to be a child with a disability eligible for special education residing within the school district's jurisdiction. Child find data is collected, maintained, and used in decision-making. Child find process and procedures are evaluated for its effectiveness. The school district implements mechanisms to disseminate child find information to the public, organizations, agencies, and individuals on at least an annual basis.
- x The school district has adopted policies and procedures that assure that students with disabilities are included in general education programs and extracurricular and non-academic programs and activities to the maximum extent appropriate in accordance with an Individualized Education Program.
- x The school district will comply with the PA Department of Education, Bureau of Special Education's revision notice process.
- x The school district follows the state and federal guidelines for participation of students with disabilities in state and district-wide assessments including the determination of participation, the need for accommodations, and the methods of assessing students for whom regular assessment is not appropriate.
- x The school district affirms the Pennsylvania Department of Education that funds received through participation in the medical assistance reimbursement program, ACCESS, will be used to enhance or expand the current level of services and programs provided to students with disabilities in this local education agency.

**Superintendent/Chief Executive Officer**

**Date**

